


The Clear Choice Is Crystal



HM Group USA

SureRock Fiberglass Door

HMG-M-1

ENERGY PERFORMANCE RATINGS

Product Description* Default Frame** Wood	U-Factor ¹ / Solar Heat Gain Coefficient (SHGC)			
	Individual Option Number			
	1/4 Lite ≤410†	1/2 Lite ≤900†	3/4 Lite ≤1100†	Full Lite >1100†
Triple/Low E/Argon/.27/.27 Deco Flush	0.21	0.25	0.28	0.32
	0.09	0.15	0.20	0.26
	00002-00001	00003-00001	00004-00001	00005-00001
Triple/Low E/Argon/.27/.27 Deco Panel	0.21	0.25	0.28	0.32
	0.09	0.15	0.20	0.26
	00007-00001	00008-00001	00009-00001	00010-00001
Flush / Embossed 00001/6-00001	U-Factor ¹	0.16	SHGC	0.01
Air Leakage —	cfm.ft ²			


Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.
 * #glazing layers / spacer type / low-e emissivity (surface) / gap fill / gap width (na=not applicable)
 ** per NFRC 100 † square inches † btu/hr*ft²*F
 *** Numbers below the performance ratings are referenced in the NFRC Certified Products Directory (e.g., ABC-X-1-00001-00001 or 123-X-1-00001-00001)
www.nfrc.org

NFRC LABELS

Front Entry Doors

Triple Glazing-Argon-LowE

Door HMG-M-1
Sidelite HMG-M-2



HM Group USA

SureRock Fiberglass Sidelite

HMG-M-2

ENERGY PERFORMANCE RATINGS

Product Description* Default Frame** Wood	U-Factor ¹ / Solar Heat Gain Coefficient (SHGC)			
	Individual Option Number			
	1/4 Lite ≤410†	1/2 Lite ≤900†	3/4 Lite ≤1100†	Full Lite >1100†
Triple/Low E/Argon/.27/.27 Deco Flush	0.26	0.32	0.38	0.43
	0.14	0.23	0.32	0.40
	00002-00001	00003-00001	00004-00001	00005-00001
Triple/Low E/Argon/.27/.27 Deco Panel	0.26	0.32	0.38	0.43
	0.14	0.23	0.32	0.40
	00007-00001	00008-00001	00009-00001	00010-00001
Flush / Embossed 00001/6-00001	U-Factor ¹	0.18	SHGC	0.02
Air Leakage —	cfm.ft ²			

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.
 * #glazing layers / spacer type / low-e emissivity (surface) / gap fill / gap width (na=not applicable)
 ** per NFRC 100 † square inches † btu/hr*ft²*F
 *** Numbers below the performance ratings are referenced in the NFRC Certified Products Directory (e.g., ABC-X-1-00001-00001 or 123-X-1-00001-00001)
www.nfrc.org

