
	Crystal Pacific Window & Door Systems Casement Window Vinyl Frame Double Glazing (DS-DS)-Air-LoE²-270™ Grids CPW-M-5-00002-00004	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.32	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.42	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

<p align="center"><u>NFRC LABELS</u></p> <p align="center">Vista PLUS Casement Windows with Grids</p> <p align="center">DS-DS, 3/16-3/16</p> <p align="center">LowE2 Glass</p> <p align="center">DS = Double Strength (1/8, 3mm) 3/16 = 5mm</p>

	Crystal Pacific Window & Door Systems Casement Window Vinyl Frame Double Glazing (3/16-3/16)-Air-LoE²-270™ Grids CPW-M-5-00005-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.31	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.41	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]