

#### The Clear Choice Is Crystal



## Crystal Pacific Window & Door System, Inc.

Vista / Vista PLUS Sliding Door

Vinyl Frame Double Glazing (DS-DS)-Air-LoĒ<sup>2</sup>-270™ CPW-M-2-00156-00001

#### **ENERGY PERFORMANCE RATINGS**

U-Factor (U.S./I-P)

**Solar Heat Gain Coefficient** 

0.34

0.30

#### **ADDITIONAL PERFORMANCE RATINGS**

**Visible Transmittance** 

0.56

\_\_\_\_

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.

www.nfrc.org

### NFRC LABELS

Buena Vista Sliding Doors

DS-DS, DS-3/16, 3/16-3/16

LowE2 Glass

DS = Double Strength (1/8, 3mm) 3/16 = 4.7mm



# Crystal Pacific Window & Door System, Inc.

Vista / Vista PLUS Sliding Door

Vinyl Frame Double Glazing (DS-3/16)-Air-LoĒ<sup>2</sup>-270™ CPW-M-2-00158-00001

#### **ENERGY PERFORMANCE RATINGS**

U-Factor (U.S./I-P)

Solar Heat Gain Coefficient

0.33

0.30

#### **ADDITIONAL PERFORMANCE RATINGS**

**Visible Transmittance** 

0.56

\_\_\_\_

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.

www.nfrc.org



# Crystal Pacific Window & Door System, Inc.

Vista / Vista PLUS Sliding Door

Vinyl Frame Double Glazing (3/16-3/16)-Air-LoĒ<sup>2</sup>-270™ CPW-M-2-00157-00001

#### **ENERGY PERFORMANCE RATINGS**

U-Factor (U.S./I-P)

Solar Heat Gain Coefficient

0.33

0.29

#### **ADDITIONAL PERFORMANCE RATINGS**

Visible Transmittance

0.55

cedures for determining w

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.

www.nfrc.org

For informational purposes only. Subject to change without notice.