 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista Horizontal Sliding Window Vinyl Frame Double Glazing (SS-SS)-Argon-LoE³-366™ Grids CPW-M-4-00034-00002
	ENERGY PERFORMANCE RATINGS
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.47	—
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>	


NFRC LABELS


 Vista Windows with Grids

SS-SS


 LowE3 Glass with Argon Gas

 SS = Single Strength (3/32, 2mm)

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista Single Hung Window Vinyl Frame Double Glazing (SS-SS)-Argon-LoE³-366™ Grids CPW-M-3-00034-00002
	ENERGY PERFORMANCE RATINGS
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.47	—
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>	

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista Fixed Window Vinyl Frame Double Glazing (SS-SS)-Argon-LoE³-366™ Grids CPW-M-1-00033-00002
	ENERGY PERFORMANCE RATINGS
U-Factor (U.S./I-P) 0.27	Solar Heat Gain Coefficient 0.22
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.53	—
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>	


For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]


	Crystal Pacific Window & Door Systems Vista Horizontal Sliding Windows Vinyl Frame Double Glazing (DS-DS)-Argon-LoE ³ -366™ Grids CPW-M-4-00035-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

NFRC LABELS


Vista Windows with Grids
DS-DS
 LowE3 Glass with Argon Gas

DS = Double Strength (1/8, 3mm)


	Crystal Pacific Window & Door Systems Vista Single Hung Windows Vinyl Frame Double Glazing (DS-DS)-Argon-LoE ³ -366™ Grids CPW-M-3-00035-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		


	Crystal Pacific Window & Door Systems Vista Fixed Windows Vinyl Frame Double Glazing (DS-DS)-Argon-LoE ³ -366™ Grids CPW-M-1-00034-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.26	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]


 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista Horizontal Sliding Window Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE ³ -366™ Grids CPW-M-4-00338-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.31	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

<h2><u>NFRC LABELS</u></h2> <p>Vista Windows with Grids</p> <h3>DS-3/16</h3> <p>LowE3 Glass with Argon Gas</p> <p>DS = Double Strength (1/8, 3mm) 3/16 = 5mm</p>
--

 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista Single Hung Window Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE ³ -366™ Grids CPW-M-3-00338-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista Fixed Window Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE ³ -366™ Grids CPW-M-1-00036-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		


For informational purposes only. Subject to change without notice.
[Label Sheet Compatible: Uline S-10437]


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista Horizontal Sliding Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE ³ -366™ Grids CPW-M-4-00037-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.32	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

NFRC LABELS

Vista Windows with Grids
3/16-3/16
 LowE3 Glass with Argon Gas

3/16 = 5mm

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista Single Hung Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE ³ -366™ Grids CPW-M-3-00037-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.31	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista Fixed Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE ³ -366™ Grids CPW-M-1-00101-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.51	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]