


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Horizontal Sliding Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ Grids CPW-M-4-00688-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

<h2><u>NFRC LABELS</u></h2> <p>Vista PLUS Windows with Grids</p> <h3>DS-DS</h3> <p>LowE3 Glass with Argon Gas</p> <p>DS = Double Strength (1/8, 3mm)</p>
--


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Single Hung Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ Grids CPW-M-3-00739-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Fixed Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ Grids CPW-M-1-00038-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]


 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Horizontal Sliding Window Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE ³ -366™ Grids CPW-M-4-00698-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

<h2><u>NFRC LABELS</u></h2> <p>Vista PLUS Windows with Grids</p> <h3>DS-3/16</h3> <p>LowE3 Glass with Argon Gas</p> <p>DS = Double Strength (1/8, 3mm) 3/16 = 5mm</p>
--

 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Single Hung Window Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE ³ -366™ Grids CPW-M-3-00741-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.46	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Fixed Window Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE ³ -366™ Grids CPW-M-1-00040-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Horizontal Sliding Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE ³ -366™ Grids CPW-M-4-00693-00002
	ENERGY PERFORMANCE RATINGS
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.45	—
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>	


NFRC LABELS


Vista PLUS Windows with Grids

3/16-3/16


LowE3 Glass with Argon Gas

3/16 = 5mm


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Single Hung Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE ³ -366™ Grids CPW-M-3-00740-00002
	ENERGY PERFORMANCE RATINGS
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.45	—
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>	

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Fixed Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE ³ -366™ Grids CPW-M-1-00039-00002
	ENERGY PERFORMANCE RATINGS
U-Factor (U.S./I-P) 0.27	Solar Heat Gain Coefficient 0.22
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance 0.51	—
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>	

For informational purposes only. Subject to change without notice.
[Label Sheet Compatible: Uline S-10437]

 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Horizontal Sliding Window Vinyl Frame Double Glazing (3/16-1/4)-Argon-LoE³-366™ Grids CPW-M-4-00703-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.45	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

<p align="center"><u>NFRC LABELS</u></p> <p align="center">Vista PLUS Windows with Grids</p> <p align="center">3/16-1/4</p> <p align="center">LowE3 Glass with Argon Gas</p> <p align="center">3/16 = 5mm 1/4 = 6mm</p>

 National Fenestration Rating Council [®] CERTIFIED	Crystal Pacific Window & Door Systems Vista PLUS Single Hung Window Vinyl Frame Double Glazing (3/16-1/4)-Argon-LoE³-366™ Grids CPW-M-3-00742-00002	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.45	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]