
 National Fenestration Rating Council [®] CERTIFIED		Crystal Pacific Window & Door Systems Casement Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-5-00003-00003	
ENERGY PERFORMANCE RATINGS			
U-Factor (U.S./I-P) 0.28		Solar Heat Gain Coefficient 0.19	
ADDITIONAL PERFORMANCE RATINGS			
Visible Transmittance 0.43		—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>			

<h2><u>NFRC LABELS</u></h2> <p>Vista PLUS Casement Windows</p> <h3>DS-DS, 3/16-3/16</h3> <p>LowE3 Glass with Argon Gas</p> <p>DS = Double Strength (1/8, 3mm) 3/16 = 5mm</p>
--

 National Fenestration Rating Council [®] CERTIFIED		Crystal Pacific Window & Door Systems Casement Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-5-00006-00001	
ENERGY PERFORMANCE RATINGS			
U-Factor (U.S./I-P) 0.28		Solar Heat Gain Coefficient 0.18	
ADDITIONAL PERFORMANCE RATINGS			
Visible Transmittance 0.42		—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>			

For informational purposes only. Subject to change without notice.
 [Label Sheet Compatible: Uline S-10437]