

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Single Horizontal Slider Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-24-00051-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.21	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.50	—	
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>		

<p align="center">NFRC LABELS</p> <p align="center">Valencia Windows</p> <p align="center">DS-DS</p> <p align="center">LowE3 Glass with Argon Gas</p> <p align="center">DS = Double Strength (1/8, 3mm)</p>

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Single Hung-Tilt Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-10-00053-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.21	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.50	—	
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>		

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Fixed Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-9-00007-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.53	—	
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>		

For informational purposes only. Subject to change without notice.

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Double Horizontal Slider Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-20-00051-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.21	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.49	—	
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>		


NFRC LABELS


Valencia Windows

DS-DS


LowE3 Glass with Argon Gas

DS = Double Strength (1/8, 3mm)


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Double Hung-Tilt Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-19-00030-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.20	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.48	—	
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>		

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Fixed Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-9-00007-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.53	—	
<p>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</p>		


For informational purposes only. Subject to change without notice.

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Single Horizontal Slider Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-24-00052-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.21	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.49	 <hr style="width: 20%; margin: auto;"/>	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

<h2>NFRC LABELS</h2> <h3>Valencia Windows</h3> <h3>3/16-3/16</h3> <h3>LowE3 Glass with Argon Gas</h3> <p>3/16 = 4.7mm</p>

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Fixed Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-9-00012-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	 <hr style="width: 20%; margin: auto;"/>	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

For informational purposes only. Subject to change without notice.

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Double Horizontal Slider Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-20-00052-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.21	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.49	 <hr style="width: 20%; margin: auto;"/>	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

<h2>NFRC LABELS</h2> <h3>Valencia Windows</h3> <h3>3/16-3/16</h3> <h3>LowE3 Glass with Argon Gas</h3> <p>3/16 = 4.7mm</p>

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System Valencia Fixed Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-9-00012-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.28	Solar Heat Gain Coefficient 0.23	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	 <hr style="width: 20%; margin: auto;"/>	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

For informational purposes only. Subject to change without notice.