


The Clear Choice Is Crystal


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Horizontal Slider Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-4-00028-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.31	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.50	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

NFRC LABELS

Vista PLUS Windows DS
 Double Glazing (DS-DS)-Argon-LoE³-366™

DS = Double Strength 1/8

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Single Hung Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-3-00028-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.31	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.50	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		


 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Fixed Window Vinyl Frame Double Glazing (DS-DS)-Argon-LoE³-366™ CPW-M-1-00028-00003	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.52	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		



The Clear Choice Is Crystal

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Horizontal Slider Vinyl Frame Double Glazing (1/8-3/16)-Argon-LoE³-366TM CPW-M-4-00032-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.50	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

NFRC LABELS
Vista PLUS Windows DS, 3/16
Double Glazing (DS-3/16)-Argon-LoE ³ -366 TM
DS = Double Strength 1/8

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Single Hung Vinyl Frame Double Glazing (1/8-3/16)-Argon-LoE³-366TM CPW-M-3-00032-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.50	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		





The Clear Choice Is Crystal

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Horizontal Slider Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-4-00031-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.49	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

NFRC LABELS

Vista PLUS Windows 3/16
 Double Glazing (3/16-3/16)-Argon-LoE³-366™

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Single Hung Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-3-00031-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.30	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.49	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

 National Fenestration Rating Council® CERTIFIED	Crystal Pacific Window & Door System, Inc. Vista PLUS Fixed Window Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE³-366™ CPW-M-1-00031-00001	
	ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./I-P) 0.29	Solar Heat Gain Coefficient 0.22	
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.51	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org</small>		

