 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Horizontal Sliding Window</b>  Vinyl Frame Double Glazing (SS-SS)-Argon-LoE <sup>3</sup> -366™ CPW-M-4-00034-00001	
	<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>	
<b>ADDITIONAL PERFORMANCE RATINGS</b>		
Visible Transmittance <b>0.52</b>	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		


**NFRC LABELS**


Vista Windows

**SS-SS**


LowE3 Glass with Argon Gas

SS = Single Strength (3/32, 2mm)

 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Single Hung Window</b>  Vinyl Frame Double Glazing (SS-SS)-Argon-LoE <sup>3</sup> -366™ CPW-M-3-00034-00001	
	<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>	
<b>ADDITIONAL PERFORMANCE RATINGS</b>		
Visible Transmittance <b>0.52</b>	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Fixed Window</b>  Vinyl Frame Double Glazing (SS-SS)-Argon-LoE <sup>3</sup> -366™ CPW-M-1-00033-00001	
	<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P) <b>0.27</b>	Solar Heat Gain Coefficient <b>0.25</b>	
<b>ADDITIONAL PERFORMANCE RATINGS</b>		
Visible Transmittance <b>0.58</b>	—	
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org		

For informational purposes only. Subject to change without notice.  
 [Label Sheet Compatible: Uline S-10437]

 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Horizontal Sliding Window</b>  Vinyl Frame Double Glazing (DS-DS)-Argon-LoE <sup>3</sup> -366™ CPW-M-4-00035-00001	
	<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>	
<b>ADDITIONAL PERFORMANCE RATINGS</b>		
Visible Transmittance <b>0.52</b>	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.  <a href="http://www.nfrc.org">www.nfrc.org</a></small>		

**NFRC LABELS**


Vista Windows

**DS-DS**


LowE3 Glass with Argon Gas

DS = Double Strength (1/8, 3mm)


 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Single Hung Window</b>  Vinyl Frame Double Glazing (DS-DS)-Argon-LoE <sup>3</sup> -366™ CPW-M-3-00035-00001	
	<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>	
<b>ADDITIONAL PERFORMANCE RATINGS</b>		
Visible Transmittance <b>0.52</b>	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.  <a href="http://www.nfrc.org">www.nfrc.org</a></small>		


 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Fixed Window</b>  Vinyl Frame Double Glazing (DS-DS)-Argon-LoE <sup>3</sup> -366™ CPW-M-1-00034-00001	
	<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P) <b>0.26</b>	Solar Heat Gain Coefficient <b>0.25</b>	
<b>ADDITIONAL PERFORMANCE RATINGS</b>		
Visible Transmittance <b>0.58</b>	—	
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.  <a href="http://www.nfrc.org">www.nfrc.org</a></small>		

For informational purposes only. Subject to change without notice.  
 [Label Sheet Compatible: Uline S-10437]


 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Horizontal Sliding Window</b> Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE <sup>3</sup> -366™ CPW-M-4-00337-00001
	<b>ENERGY PERFORMANCE RATINGS</b>
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance <b>0.51</b>	—
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org	

**NFRC LABELS**  
  
 Vista Windows  
**DS-3/16**  
 LowE3 Glass with Argon Gas  
  
 DS = Double Strength (1/8, 3mm)  
 3/16 = 5mm


 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Single Hung Window</b> Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE <sup>3</sup> -366™ CPW-M-3-00337-00001
	<b>ENERGY PERFORMANCE RATINGS</b>
U-Factor (U.S./I-P) <b>0.29</b>	Solar Heat Gain Coefficient <b>0.22</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance <b>0.51</b>	—
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org	


 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Fixed Window</b> Vinyl Frame Double Glazing (DS-3/16)-Argon-LoE <sup>3</sup> -366™ CPW-M-1-00035-00001
	<b>ENERGY PERFORMANCE RATINGS</b>
U-Factor (U.S./I-P) <b>0.26</b>	Solar Heat Gain Coefficient <b>0.25</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance <b>0.57</b>	—
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org	

For informational purposes only. Subject to change without notice.  
 [Label Sheet Compatible: Uline S-10437]

 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Horizontal Sliding Window</b> Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE <sup>3</sup> -366™ CPW-M-4-00036-00001
	<b>ENERGY PERFORMANCE RATINGS</b>
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance <b>0.51</b>	—
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org	

<h1>NFRC LABELS</h1> <p>Vista Windows</p> <h2>3/16-3/16</h2> <p>LowE3 Glass with Argon Gas</p> <p>3/16 = 5mm</p>
--

 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Single Hung Window</b> Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE <sup>3</sup> -366™ CPW-M-3-00036-00001
	<b>ENERGY PERFORMANCE RATINGS</b>
U-Factor (U.S./I-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.22</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance <b>0.51</b>	—
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org	

 National Fenestration Rating Council <sup>®</sup> <b>CERTIFIED</b>	<b>Crystal Pacific Window &amp; Door Systems</b> <b>Vista Fixed Window</b> Vinyl Frame Double Glazing (3/16-3/16)-Argon-LoE <sup>3</sup> -366™ CPW-M-1-00100-00001
	<b>ENERGY PERFORMANCE RATINGS</b>
U-Factor (U.S./I-P) <b>0.27</b>	Solar Heat Gain Coefficient <b>0.25</b>
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance <b>0.57</b>	—
Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org	

For informational purposes only. Subject to change without notice.  
 [Label Sheet Compatible: Uline S-10437]