



Crystal Wall Folding Doors

CRYSTALTM
WINDOWS & DOORS
WWW.CRYSTALPACIFICWINDOW.COM

The Clear Choice Is Crystal

Features & Benefits

Crystal Wall folding doors are designed to maximize your view with minimal obstruction.

- **High-quality components**
Includes leading edge patented technology.
- **Versatile function**
Use as door, interior separation, or window. Main panel can be at either side and swing open outward or inward.
- **Exclusive side locking system**
Compresses panels for optimal weather efficiency and security.
- **Solid single-track support**
Weight of panels divided equally and supported along the bottom aluminum track.
- **Innovative bearing system**
Top track prevents displacement of panels.
- **Smooth gliding & pivoting**
Edge-to-edge fully retractable slide and pivot rollerless panels slide on a self lubricating Teflon base and pivot inward or outward.
- **Seamless & Elegant**
Beautiful lines and no unsightly hardware.

Colors

Powder coated aluminum systems. Choose from a variety of RAL colors.



Crystal Wall

FOLDING DOORS

Crystal Wall folding doors are weather efficient, secure and beautiful. Ultra slim frame and frameless versions available. Can be used as doors, interior separations, and windows for residential and commercial projects.

Every folding door is custom made using high-quality components and includes leading edge patented technology. Crystal Wall folding doors are for those who want to create the greatest views and expand their space by inviting the outside in.



Ultra Slim Frame

HIGHEST GLASS-TO-FRAME RATIO

Sleek, thermally-broken aluminum frame with 1" insulated glass unit. Includes 3/16" LowE and clear tempered glass.

Air infiltration 0.12 cfm/ft².

Water penetration 0.00 psf.*

Structural integrity DP 50 – tested up to 173 MPH.

*Limited water rating when tested to ASTM E 331.



Frameless

FIRST WEATHER TIGHT FRAMELESS FOLDING DOOR

Edged and polished 3/8" clear tempered glass. Includes UV rated, translucent polycarbonate weather seals on each panel.

Air infiltration 0.16 cfm/ft².

Water penetration 0.00 psf.*

*Limited water rating when tested to ASTM E 331.



CRYSTALTM
WINDOWS & DOORS
WWW.CRYSTALPACIFICWINDOW.COM

The Clear Choice Is Crystal

RIVERSIDE, CALIFORNIA
crystalpacificwindow.com



LITCWF010218 © 2018 CRYSTAL WINDOW & DOOR SYSTEMS